



LORVEN

COLLECTION

600x1200mm

Glazed Vitrified Tiles

EVARDO


ANTI-SKID SURFACES FOR ANTI-WORRY DAYS!

Move in a carefree manner and indulge in the flair of freedom.

Narrate a story of emotions that transcends through the corridors as dusk settles to create an interplay of durable and safe characters, where each surface crafts a structure of bold and innovative elements that display a choreography of moods in your exteriors.

Let your facade turn into a canvas of intriguing patterns that strike a monotone of strengthful pieces.
Elevate your outdoors with an artful arrangement of emotion and design.


Create an outlining of contours that seamlessly blend into the parade of patterns to make solid structures that evoke the emotions of safety and designs. Make your exteriors set a natural ambiance of sturdy elements that match the natural environment and create a spotlight of bold structures.



About Collection

Colortile presents to you a collection that keeps you safe while you stroll through the aesthetics of allure and amazement, hereby checking against its goal of providing techno-solutions to modern-day problems. The Evardo Collection is here with Micro Matt Surface to keep your indoor and outdoor experiences safe and secure.

These highly functional anti-skid tiles discard accidents because of their properties, such as anti-polishing, antiabrasion, tactile friction, and more. This Collection withstands areas that are prone to accidents and sheltered spaces like courtyards, patios, sidewalks, etc.



Surface

Innovative surface solution for no risk of slipping or skidding.




INTERACTIVE FEATURES THAT ADD VERSATILITY TO YOUR INDOOR AND OUTDOORS

An advancement in the field of design and innovation, these tiles demonstrate an integration of creativity through the multiple layers. These layers compose a durable structure of excellence that is a balance between functionality and elegance.

Serving as a combination of textures and patterns, these tiles are an embodiment of meticulous crafting that takes into consideration the parameters of depth, patterns, etc., to have a visually dynamic result.

With these additional layers, you can enhance the tactical forces of your space and draw a carpet of comfort through the anti-skid properties, making it a choice of versatile and modern designs.







1) A strong base to ensure the durability

2) An addition of patterns to give an appeal to endurance

3) Relief structure created with digital adhesive and grits

With enhanced traction, the risk of slips and falls is reduced which makes your space a safer sanctity to walk upon. Seamlessly integrate style and security with such safe tiles.





Get a secured grip for your textured surfaces through tiles that are vastly thick, making it ideal for rugged interiors and exteriors of your space. These tiles stand tall against the changing weather, heavy footfall, and other uses.



The exclusive MicroMatt Surface of the Evardo Collection is equipped with a consciously designed rugged surface treated with industryleading anti-slip glaze which prevents slips and skids by enhancing tactile friction.

Size/Colors











Lorven Albena Nudra Lorven Albena AR-LA-1042-GV

Lorven Dravon

AR-LC-1044-GV







Lorven Ivessa Nudra Lorven Ivessa


GLAZED **VITRIFIED TILES**

600x1200mm 60x120cm

1 Size 7 Colors 1 Finish

An exclusive and limited collection, the Evardo is available in 600x1200mm versatile size, matt finish, and exceptional 5 colors ideal for a wide range of aesthetic and practical solutions in spaces.

High breakage
strength, and
resistance from
impacts, stains,
scratches, and more
are the few
exceptional features
and attributes of the
rugged collection
making it ideal for a
wide range of
possible applications
in places like gyms,
supermarkets, and
more.





Anti-Polishing

Superior anti-polishing quality ensures that the surface maintains its intended texture and slip-resistant attributes over time.



Anti-Abrasion

Enduring resilience against wear makes the surfaces resistant to scratches and abrasions even in high-traffic areas.

Attributes & Benefits



Long Durability



Hygienic Surface



Frost Resistance



Easy to Clean



Fire



Low Water Absorption



Impact Resistance



Chemical Resistance



Dimensional Stability



Easy Installatior



Thermal Shock



Crazing Resistance

Range of Possible Application



Decidential



Building



Hotel, Café 8 Restaurant



Industry



Hospital



Airport



School & College



Spa & Wellness Centres



ymnasium



Hall &



Super Market & Mall




Religious Place

Back Yard








Cast a shadow of durability and keep your backspaces secured while you create memories of a lifetime to cherish.

Let strengthening elements interlock your exteriors with enhanced elements of solidarity.





LORVEN IVESSA NUDRA AR-LIN-1045-GV

6-R

Size

Surface

MicroMatt

600x1200mm





4-R

LORVEN IVESSA AR-LI-1046-GV

Size


Surface

____ MicroMatt

600x1200mm



Outdoor Area




LORVEN TAVINO
600x1200mm | Finish - MicroMatt
AR-LT-1047-GV

Make your space a reliable path to walk upon while performing a set of activities. Choose sturdy elements for your space and ensure everyone's safety!



Outdoor Area



LORVEN IVESSA NUDRA AR-LIN-1045-GV

Size Surface
MicroMatt

600x1200mm





Size Surface

MicroMatt

600x1200mm



Courtyard





Achieve a highly functional floor of your garden cum patio space or simply the exterior of your home and spaces with tiles where it is safe for kids to play and elders to take a safe walk.

Courtyard



LORVEN ALBENA NUDRA AR-LAN-1041-GV

6-R

Size

Surface

MicroMatt

600x1200mm





4-R

LORVEN ALBENA AR-LA-1042-GV

Size

Surface

MicroMatt

600x1200mm





LORVEN DRAVON
600x1200mm | Finish - MicroMatt
AR-LD-1043-GV

Make your supper area a safe space with our anti-skid surfaces that are built on weatherproof substances, making them ideal to walk upon when they are wet and remain unaffected by extensive usage.



Supper Area



LORVEN ALBENA NUDRA AR-LAN-1041-GV

Size

Surface

MicroMatt

600x1200mm





LORVEN DRAVON AR-LD-1043-GV

Size

Surface

MicroMatt


600x1200mm

4-R

Fine dine |
Restro







Give commercial spaces a functional and aesthetic makeover and evolve them into spaces safe for the public and exceptionally aesthetic looking.





LORVEN ALBENA NUDRA AR-LAN-1041-GV

6-R

Size

Surface

MicroMatt

600x1200mm



LORVEN CAVENZA AR-LC-1044-GV

Surface

Size

MicroMatt

600x1200mm



Quality Standards
Standards according to ISO 13006: Annex G - EN 14411: Annex G. Dry - Pressed Ceramic Tiles. Group Bla (Eb ≤ 0.5%)

	Test	Requir	ements	Architylezz Values		
Technical Feature	Method	% mm		% mm		
A. Dimensions and Surface Qual	ity					
Length and Width		± 0.6%	± 2.0	± 0.20%	± 1.0	
Thickness		± 5.0%	± 0.5	± 5.00% ± 0.5		
Straightness of Sides	UNI EN ISO 10545-2	± 0.5%	± 1.5	± 0.20% ± 1.0		
Rectangularity		± 0.5%	± 2.0	± 0.20% ± 1.2		
Surface Flatness a) Centre curvature b) Edge curvature c) Warpage		± 0.5% ± 0.5% ± 0.5%	± 2.0 ± 2.0 ± 2.0	± 0.20% ± 0.20% ± 0.20%	± 1.0 ± 1.0 ± 1.0	
Surface Quality		from visible defects	f the tiles shall be free that would impair the major area of tiles.	Compliant		
3. Physical Properties						
Water Absorption	UNI EN ISO 10545-3	Eb≤0.5% Individual maximum : 0.6% (absorbed water mass)		Eb≤0.1% (absorbed water mass)		
Breaking Strength		Min. 1300 N		≥ 1700 N		
Modulus of Rupture	UNI EN ISO 10545-4	Average minim Individual minim	num 35 N/mm² num 32 N/mm²	37 N/mm²		
Frost Resistance	UNI EN ISO 10545-12	Required		Compliant		
Coefficient of Linear Thermal Expansion From Ambient Temperature to 100°c	UNI EN ISO 10545-8	Required		6 x 10 ⁻⁶ K ⁻¹ max		
Scratch Hardness (Mohs scale)	EN 101	Declared by the producer		3 to 6 Depends on Finish & Colo		
Crazing Resistance	UNI EN ISO 10545-11	Declared by the producer		4 Cycle Pass		
C. Chemical Properties						
Resistance to Staining	UNI EN ISO 10545-14	Minimum Class 3		5		
Resistance to Household Chemicals and Swimming Pool Salts	1001-501	Minimum GB		GA		
Resistance to Low Concentrations of Acids and Alkalis	UNI EN ISO 10545-13	To be re	eported	GLA		
Resistance to High Concentrations of Acids and Alkalis		To be re	eported	GHA		

Standard Pallet Packing

Pallet Type	Size	Thickness	pcs / Box	m² / Box	kg / Box (Approx.)	Box / Pallet	m² / Pallet	Pallet Size
А	600x1200mm	9.0mm	2 pcs	1.44 Sq. Mtr.	31.0 kg	64	92.16 Sq m	1100x1100mm
В	600x1200mm	9.0mm	2 pcs	1.44 Sq. Mtr.	31.0 kg	23	33.12 Sq m	675x1200mm
С	600x1200mm	9.0mm	2 pcs	1.44 Sq. Mtr.	31.0 kg	28	40.32 Sq m	750x1200mm

Euro Pallet Packing

Pallet Type	Size	Thickness (Approx.)	pcs / Box	m² / Box	kg / Box (Approx.)	Box / Pallet	m² / Pallet	Pallet Size
А	600x1200mm	9.0mm	2 pcs	1.44 Sq. Mtr.	31.0 kg	54	77.76 Sq m	800x1200mm
В	600x1200mm	9.0mm	2 pcs	1.44 Sq. Mtr.	31.0 kg	30	43.20 Sq m	800x1200mm

