


### 600x1200mm GLAZED VITRIFIED TILES

## EMBER GLAZE COLLECTION




# Inspiration



The perfect marriage between the natural beauty of the Earth and technologically advanced creations of ceramic to build a space with modern aesthetics.

# Innovation



### Inspired from the beauty and natural stone around the world.

The Indian consumer is becoming more and more design & decor conscious by the day. A home is no more a necessity but it is a reflection of one's status, personality & taste. Therefore, the demand for premium quality vitrified tiles with beautiful designs and perfect craftsmanship has increased by leaps & bounds. COLORTILE presents a unique collection

of Glazed Vitrified Tiles to fulfill the ever-expanding needs and expectations of the Indian consumer. COLORTILE range of Glazed Vitrified Tiles in an extensive array of exclusive designs in the 600x1200mm size available through a wide distribution network.

# GLAZED VITRIFIED TILES SOOx1600mm 600x1200mm 600x600mm Wall Floor Recommended

#### Application areas



Residential



Commercial Building



Hotel, Café & Restaurant



Gymnasium



Hall & Corridor



Super Market & Mall



Hospital



Airport



School & College



Industry



Spa & Wellness Centres



Religious Place

### Technical specification



Long Durability



Easy to Clean



Impact Resistance



Frost Resistance



Low Water Absorption



Dimensional Stability



Hygienic Surface



Fire Resistance



Chemical Resistance



Easy Installation



Thermal Shock Resistance



Crazing Resistance

# TRUE TONE Sizes 800x1600mm 600x1200mm

Finish - SAND





Terra Aggregate
AR-TA-811-GV





# TRUE TONE Sizes 800x1600mm 600x1200mm Finish - SAND









#### **FLOOR**

#### TRUE TONE


Sizes

800x1600mm


600x1200mm

Finish

- SAND



Shadow Aggregate AR-SA-813-GV




4 - R



# Sizes 800x1600mm




600x1200mm



Graphite Aggregate

AR-GA-814-GV




4 - R



TRUE TONE	
Sizes	
800x1600mm	
600x1200mm	
Finish - SAND	





6 - R




# Sizes 800x1600mm 600x1200mm Finish - SAND

TRUE TONE







6 - R




# Sizes 800x1600mm 600x1200mm Finish - SAND

TRUE TONE



Void Metro AR-VM-817-GV



6 - R









6 - R




TRUE TONE	A PROPERTY.		
Sizes			
800x1600mm			
600x1200mm  Finish - SAND			

Dunera Metro AR-DM-819-GV

6 - R






Earthen Concrete
AR-EC-820-GV

6 - R





- RELIEF MATT

Finish




Summit White AR-SW-821-GV



4 - R






Finish

- RELIEF MATT




Pewter Stone AR-PS-822-GV

4 - R









Finish

- RELIEF MATT




Raven Tile AR-RT-823-GV




4 - R






Vanilla Parker AR-VP-824-GV





Finish

- RELIEF MATT



Sable Stone AR-SS-825-GV



4 - R



#### Sizes




600x1200mm

#### Finish

- RUSTIC MATT (FLORESAN)







4 - R



## Sizes




600x1200mm

### Finish




Abyss Terratile

AR-AT-827-GV



4 - R




#### **FLOOR**



### Finish



Amethyst Tile



4 - R






### Finish



Jade Earth AR-JE-829-GV



4 - R






### Finish



Sienna Ember AR-SIE-830-GV



4 - R



- RUSTIC MATT
- GLOSSY



Blush Bloom AR-BB-831-GV



10 - R



# Finish


- GLOSSY
- RUSTIC MATT



Sapphire Depth AR-SD-832-GV



10 - R



## Finish


- GLOSSY
- RUSTIC MATT




Solar Flare AR-SF-833-GV



10 - R








- GLOSSY
- RUSTIC MATT



Veridian Sage AR-VS-834-GV







i Sage <sub>84-GV</sub>

10 - R



# Finish

- GLOSSY
- RUSTIC MATT



Chrome Stone AR-CHS-835-GV



10 - R










- GLOSSY
- RUSTIC MATT



Crown Statuario



5 - R







Finish

- GLOSSY



Metropolitan Loft AR-MLO-837-GV






- GLOSSY
- RUSTIC CARVING



Argent Alloy AR-ARA-838-GV



6 - R



WALL

Argent Alloy | Size - 600x1200mm | Finish - Glossy

FLOOR

Eldergreen | Size - 195x1200mm | Finish - Spread Sparkle Argent Alloy | Size - 600x1200mm | Finish - Glossy

- GLOSSY
- RUSTIC CARVING



Steel Metal AR-SM-839-GV



6 - R




- GLOSSY
- RUSTIC CARVING



Iridescent Tile



6 - R




- RUSTIC CARVING
- GLOSSY




Desert Patina AR-DEP-841-GV



6 - R





Fiery Marble AR-FM-842-GV

6 - R









## Finish

- RUSTIC CARVING




Basalt Noir AR-BN-843-GV



4 - R






- RUSTIC CARVING




Tidal Sapphire AR-TIS-844-GV



6 - R











6 - R





Finish



Gilded Vein AR-GV-846-GV



6 - R





Finish



Tuscan Collin AR-TC-847-GV



8 - R





Finish



Mistral Slate AR-MS-848-GV



8 - R





Rose Blossom AR-RB-849-GV



5 - R






# Finish



Industrial Prime




4 - R




### FLOOR




# Finish



Lilac Vein AR-LCV-851-GV



4 - R






# Finish



Malachite Jade AR-MCJ-852-GV



4 - R



800x1600mm




600x1200mm


Finish




Noir Motif AR-NM-853-GV




6 - R






Finish



Deepwater Pattern AR-DP-854-GV



6 - R





800x1600mm




600x1200mm

Finish



Sage Green AR-SG-855-GV



6 - R



Quality Standards
Standards according to ISO 13006: Annex G - EN 14411: Annex G. Dry - Pressed Ceramic Tiles. Group Bla (Eb 5

Technical Feature	Test	Require	ements	Colortile Values				
rechnical Feature	Method	%	mm	%	mm			
A. Dimensions and Surface Quality								
Length and Width	UNI EN ISO 10545-2	± 0.6%	± 2.0	± 0.20%	± 1.0			
Thickness		± 5.0%	± 0.5	± 4.00%	± 0.4			
Straightness of Sides		± 0.5%	± 1.5	± 0.20%	± 1.0			
Rectangularity		± 0.5%	± 2.0	± 0.20%	± 1.2			
Surface Flatness a) Centre curvature b) Edge curvature c) Warpage		± 0.5% ± 0.5% ± 0.5%	± 2.0 ± 2.0 ± 2.0	± 0.10% ± 0.10% ± 0.10%	± 0.8 ± 0.8 ± 0.8			
Surface Quality		A minimum of 95% of the tiles shall be free from visible defects that would impair the appearance of a major area of tiles.		Compliant				

### **B. Physical Properties**

UNI EN ISO 10545-3	Eb≤ 0.5% Individual maximum : 0.6% (absorbed water mass)	Eb ≤ 0.1% (absorbed water mass)	
LINILENI	Min. 1300 N	≥ 1700 N	
ISO 10545-4	Average minimum 35 N/mm² Individual minimum 32 N/mm²	≥ 37 N/mm² Compliant	
UNI EN ISO 10545-12	Required		
UNI EN ISO 10545-8	Required	6 x 10 <sup>-6</sup> K <sup>-1</sup> max	
EN 101	Declared by the producer	3 to 6 Depends on Finish & Color	
UNI EN ISO 10545-11	Declared by the producer	4 Cycle Pass	
	UNI EN ISO 10545-4  UNI EN ISO 10545-4  UNI EN ISO 10545-12  UNI EN ISO 10545-8  EN 101  UNI EN	Individual maximum : 0.6% (absorbed water mass)  Win ISO 10545-4  UNI EN ISO 10545-4  Average minimum 35 N/mm² Individual minimum 32 N/mm²  UNI EN ISO 10545-12  UNI EN ISO 10545-8  EN 101  Declared by the producer  UNI EN ISO 10545-8	

### C. Chemical Properties

Resistance to Staining	UNI EN ISO 10545-14	Minimum Class 3	5				
Resistance to Household Chemicals and Swimming Pool Salts		Minimum GB	GA				
Resistance to Low Concentrations of Acids and Alkalis	UNI EN ISO 10545-13	To be reported	GLA				
Resistance to High Concentrations of Acids and Alkalis		To be reported	GHA				

Note: Colours shown are as accurate as the limitations of the printing results on paper are possible. Prospective customers are advised to inspect a sample of the tile before placing the order. Every effort has been taken to ensure the accuracy of the information given. However, the company reserves its right to change/alter the specifications without any prior notice. Sometime shade variation or size variation may occur, as this is inherent property of ceramic tile industry. Before fixing the tiles, all are advised to follow the laying instructions printed on the corrugated box of the tile. Company does not take/carry any responsibility of what so ever nature, once tiles are laid.

# Standard Pallet Packing

Pallet Type	Size	Thickness (Approx.)	pcs / Box	m² / Box	kg / Box (Approx.)	Box / Pallet	m² / Pallet	Pallet Size
А	600x1200mm	9.0mm	2 pcs	1.44 Sq. Mtr.	29.30 kg	68	97.92 Sq. Mtr.	1100x1100mm
В	600x1200mm	9.0mm	2 pcs	1.44 Sq. Mtr.	29.30 kg	26	37.44 Sq. Mtr.	675x1200mm
С	600x1200mm	9.0mm	2 pcs	1.44 Sq. Mtr.	29.30 kg	29	41.76 Sq. Mtr.	750x1200mm

# Euro Pallet Packing

	_							
Pallet Type	Size	Thickness (Approx.)	pcs / Box	m² / Box	kg / Box (Approx.)	Box / Pallet	m² / Pallet	Pallet Size
А	600x1200mm	9.0mm	2 pcs	1.44 Sq. Mtr.	29.30 kg	30	43.20 Sq. Mtr.	800x1200mm

# Packing Details

Size	Thickness (Approx.)	pcs / Box	m² / Box	kg / Box (Approx.)	
600x1200mm	9.0mm	2 pcs	1.44 Sq. Mtr.	29.30 kg	

