

colortile
ceramics & innovation



EVARDO
COLLECTION

600x1200mm
Glazed Vitrified Tiles

EVARDO
COLLECTION

ANTI-SKID SURFACES FOR ANTI-WORRY DAYS!


Move in a carefree manner and indulge in the flair of freedom.

Narrate a story of emotions that transcends through the corridors as dusk settles to create an interplay of durable and safe characters, where each surface crafts a structure of bold and innovative elements that display a choreography of moods in your exteriors.

Let your facade turn into a canvas of intriguing patterns that strike a monotone of strengthful pieces. Elevate your outdoors with an artful arrangement of emotion and design.

Create an outlining of contours that seamlessly blend into the parade of patterns to make solid structures that evoke the emotions of safety and designs. Make your exteriors set a natural ambiance of sturdy elements that match the natural environment and create a spotlight of bold structures.

Evardo Collection



About Collection

Colortile presents to you a collection that keeps you safe while you stroll through the aesthetics of allure and amazement, hereby checking against its goal of providing techno-solutions to modern-day problems. The Evardo Collection is here with Micro Matt Surface to keep your indoor and outdoor experiences safe and secure.

These highly functional anti-skid tiles discard accidents because of their properties, such as anti-polishing, anti-abrasion, tactile friction, and more. This Collection withstands areas that are prone to accidents and sheltered spaces like courtyards, patios, sidewalks, etc.

Innovative surface solution for
no risk of slipping or skidding.



**MicroMatt
Surface**


Layers of Ingenuity

INTERACTIVE FEATURES THAT ADD VERSATILITY TO YOUR INDOOR AND OUTDOORS

An advancement in the field of design and innovation, these tiles demonstrate an integration of creativity through the multiple layers. These layers compose a durable structure of excellence that is a balance between functionality and elegance.

Serving as a combination of textures and patterns, these tiles are an embodiment of meticulous crafting that takes into consideration the parameters of depth, patterns, etc., to have a visually dynamic result.

With these additional layers, you can enhance the tactical forces of your space and draw a carpet of comfort through the anti-skid properties, making it a choice of versatile and modern designs.



1) A strong base to ensure the durability


2) An addition of patterns to give an appeal to endurance

3) Relief structure created with digital adhesive and grits

With enhanced traction, the risk of slips and falls is reduced which makes your space a safer sanctity to walk upon. Seamlessly integrate style and security with such safe tiles.



Implementation on Floors




Implementation on Walls

Get a secured grip for your textured surfaces through tiles that are vastly thick, making it ideal for rugged interiors and exteriors of your space. These tiles stand tall against the changing weather, heavy footfall, and other uses.



Size/Colors



Evardo
Bianco Base

Evardo
Bianco

Evardo
Gris

Evardo
Nero



Evardo
Crema Base

Evardo
Crema

Evardo
Brown

GLAZED VITRIFIED TILES

600x1200mm
60x120cm

1 Size

7 Colors

1 Finish

The exclusive MicroMatt Surface of the Evardo Collection is equipped with a consciously designed rugged surface treated with industry-leading anti-slip glaze which prevents slips and skids by enhancing tactile friction.

An exclusive and limited collection, the Evardo is available in 600x1200mm versatile size, matt finish, and exceptional 5 colors ideal for a wide range of aesthetic and practical solutions in spaces.

High breakage strength, and resistance from impacts, stains, scratches, and more are the few exceptional features and attributes of the rugged collection making it ideal for a wide range of possible applications in places like gyms, supermarkets, and more.



Anti-Polishing

Superior anti-polishing quality ensures that the surface maintains its intended texture and slip-resistant attributes over time.



Anti-Abrasion

Enduring resilience against wear makes the surfaces resistant to scratches and abrasions even in high-traffic areas.

Attributes & Benefits



Long Durability



Easy to Clean



Impact Resistance



Easy Installation



Hygienic Surface



Fire Resistance



Chemical Resistance



Thermal Shock Resistance



Frost Resistance



Low Water Absorption



Dimensional Stability



Crazing Resistance

Range of Possible Application



Residential



Commercial Building



Hotel, Café & Restaurant



Industry



Hospital



Airport



School & College



Spa & Wellness Centres



Gymnasium



Hall & Corridor



Super Market & Mall



Religious Place

Back Yard






Cast a shadow of durability and keep your backspaces secured while you create memories of a lifetime to cherish. Let strengthening elements interlock your exteriors with enhanced elements of solidarity.

Back | Yard



Evardo Crema
600x1200mm | Finish - MicroMatt

Click Here



[← Click for the Index](#)



EVARDO CREMA BASE

6-R

Size

Surface



MicroMatt

600x1200mm



EVARDO CREMA

4-R

Size

Surface



MicroMatt

600x1200mm



Outdoor Area



Evardo Brown
600x1200mm | Finish - MicroMatt

[← Click for the Index](#)



Make your space a reliable path to walk upon while performing a set of activities. Choose sturdy elements for your space and ensure everyone's safety!




Outdoor Area




Evardo Brown
600x1200mm | Finish - MicroMatt



Click Here



Click for the Index



EVARDO CREMA BASE

6-R

Size

Surface



MicroMatt

600x1200mm



EVARDO BROWN

4-R

Size

Surface



MicroMatt

600x1200mm

[← Click for the Index](#)



Courtyard



Evardo Bianco
600x1200mm | Finish - MicroMatt



Click for the Index




Achieve a highly functional floor of your garden cum patio space or simply the exterior of your home and spaces with tiles where it is safe for kids to play and elders to take a safe walk.

Courtyard





Evardo Bianco
600x1200mm | Finish - MicroMatt

Click Here



Click for the Index



EVARDO BIANCO BASE

6-R

Size

Surface



MicroMatt

600x1200mm



EVARDO BIANCO

4-R

Size

Surface



MicroMatt

600x1200mm

[← Click for the Index](#)



Bath Spaces



Evardo Gris
600x1200mm | Finish - MicroMatt



[Click for the Index](#)



Make your supper area a safe space with our anti-skid surfaces that are built on weatherproof substances, making them ideal to walk upon when they are wet and remain unaffected by extensive usage.




Supper Area





Evardo Gris
600x1200mm | Finish - MicroMatt

Click Here



[← Click for the Index](#)



EVARDO BIANCO BASE

6-R

Size

Surface



MicroMatt

600x1200mm



EVARDO GRIS

4-R

Size

Surface



MicroMatt

600x1200mm

[← Click for the Index](#)

Fine
dine
|
Restro







Give commercial spaces a functional and aesthetic makeover and evolve them into spaces safe for the public and exceptionally aesthetic looking.



Store



EVARDO BIANCO BASE

6-R


Size

Surface



MicroMatt

600x1200mm



EVARDO NERO

4-R

Size

Surface



MicroMatt

600x1200mm

[← Click for the Index](#)

Colortile Quality Standards

Standards according to ISO 13006: Annex G - EN 14411: Annex G. Dry - Pressed Ceramic Tiles. Group BIa (Eb ≤ 0.5%)

Technical Feature	Test Method	Requirements		Colortile Values	
		%	mm	%	mm

A. Dimensions and Surface Quality

Technical Feature	Test Method	Requirements	Colortile Values	
Length and Width	UNI EN ISO 10545-2	± 0.6%	± 2.0	
Thickness		± 5.0%	± 0.5	
Straightness of Sides		± 0.5%	± 1.5	
Rectangularity		± 0.5%	± 2.0	
Surface Flatness		a) Centre curvature b) Edge curvature c) Warp	± 0.5%	± 2.0
			± 0.5%	± 2.0
			± 0.5%	± 2.0
Surface Quality	A minimum of 95% of the tiles shall be free from visible defects that would impair the appearance of a major area of tiles.		Compliant	

B. Physical Properties

Technical Feature	Test Method	Requirements	Colortile Values
Water Absorption	UNI EN ISO 10545-3	Eb ≤ 0.5% Individual maximum : 0.6% (absorbed water mass)	Eb ≤ 0.1% (absorbed water mass)
Breaking Strength	UNI EN ISO 10545-4	Min. 1300 N	≥ 1700 N
Modulus of Rupture		Average minimum 35 N/mm ² Individual minimum 32 N/mm ²	37 N/mm ²
Frost Resistance	UNI EN ISO 10545-12	Required	Compliant
Coefficient of Linear Thermal Expansion From Ambient Temperature to 100°C	UNI EN ISO 10545-8	Required	6 x 10 ⁻⁶ K ⁻¹ max
Scratch Hardness (Mohs scale)	EN 101	Declared by the producer	3 to 6 Depends on Finish & Color
Crazing Resistance	UNI EN ISO 10545-11	Declared by the producer	4 Cycle Pass

C. Chemical Properties

Technical Feature	Test Method	Requirements	Colortile Values
Resistance to Staining	UNI EN ISO 10545-14	Minimum Class 3	5
Resistance to Household Chemicals and Swimming Pool Salts	UNI EN ISO 10545-13	Minimum GB	GA
Resistance to Low Concentrations of Acids and Alkalis		To be reported	GLA
Resistance to High Concentrations of Acids and Alkalis		To be reported	GHA

Standard Pallet Packing

Pallet Type	Size	Thickness	pcs / Box	m ² / Box	kg / Box (Approx.)	Box / Pallet	m ² / Pallet	Pallet Size
A	600x1200mm	9.0mm	2 pcs	1.44 Sq. Mtr.	31.0 kg	64	92.16 Sq m	1100x1100mm
B	600x1200mm	9.0mm	2 pcs	1.44 Sq. Mtr.	31.0 kg	23	33.12 Sq m	675x1200mm
C	600x1200mm	9.0mm	2 pcs	1.44 Sq. Mtr.	31.0 kg	28	40.32 Sq m	750x1200mm

Euro Pallet Packing

Pallet Type	Size	Thickness (Approx.)	pcs / Box	m ² / Box	kg / Box (Approx.)	Box / Pallet	m ² / Pallet	Pallet Size
A	600x1200mm	9.0mm	2 pcs	1.44 Sq. Mtr.	31.0 kg	54	77.76 Sq m	800x1200mm
B	600x1200mm	9.0mm	2 pcs	1.44 Sq. Mtr.	31.0 kg	30	43.20 Sq m	800x1200mm

colortile
ceramics & innovation

Color Granito Pvt. Ltd.

At. Ratavirda Village,
Sartanpar Road, Tal. Wankaner - 363 621,
Dist. Morbi, Gujarat, INDIA

Cell: +91 95120 08815

info@colortile.in | www.colortile.in

f | @ | X | > | in